# SISCAFFOLDING TODAY INC.

**Scaffold & Shoring Product Catalog** 




HOUSTON NEW YORK PHILADELPHIA



Scaffolding Today, Inc. "STI" is a fully integrated supplier of all things related to : System Scaffold, Frame Scaffold and Shoring Equipment.

One of the oldest scaffold suppliers in North America, STI has built its reputation on **Quality products, a well-trained sales staff and customer service that is second to none!**With branches in **Houston, New York and Philadelphia,** we have continued to expand our operations.

STI has made a total commitment to providing you with the safest products available. Our products are manufactured to the most strict Industry Standards and 3rd -party tested by an ISO 9002 Certified independent laboratory.




For further information, please call us at the


281-449-7900 HOUSTON 201-330-1188 NEW YORK 215-535-3511 PHILADELPHIA




### **S-Style Frames**




5'W x 6' 4" T WALK-THRU FRAME Part # 110607 Weight: 46.0 lbs.




42'W x 6' 4" T WALK-THRU FRAME Part # 110606 Weight : 42.0 lbs.




3'W x 6' 4" T WALK-THRU FRAME Part # 110506 Weight: 39.0 lbs.




5'W x 6' 4" T MASON FRAME Part # 110306 Weight: 46.0 lbs.




5'W x 5' T MASON FRAME Part # 110305 Weight: 39.0 lbs.



**5'W x 4'T MASON FRAME Part #** 110304 **Weight :** 36.0 lbs.



**5'W x 3'T MASON FRAME Part #** 110303 **Weight :** 26.0 lbs.




**5'W x 2'T MASON FRAME Part #** 110302 **Weight :** 22.0 lbs.




Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.69" (1-11/16")	8.5" (6" on 2'T & 3'T Frames)	Drop Lock	45°

# **S-Style Frames**




42" W x 6' 4" T MASON FRAME

Part # 110206 Weight: 44.0 lbs.




42'W x 5'T WALK-THRU FRAME

Part # 110205 Weight: 37.0 lbs.




42"W x 4'T MASON FRAME

**Part #** 110204 **Weight :** 32.0 lbs.




### 42" W x 3'T MASON FRAME

Part # 110203 Weight: 27.0 lbs.



### 3'W x 6'4"T LADDER FRAME

Part # 110837 Weight: 36.0 lbs.



### 3'W x 3'T LADDER FRAME


**Part #** 110333 **Weight :** 24.0 lbs.



Frame Lock


Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.69" (1-11/16")	8.5" (6" on 2'T & 3'T Frames)	Drop Lock	45°

# **S-Style Frames**




2' W x 6' 4" T NARROW FRAME

Part # 110806 Weight: 36.0 lbs.




2'W x 5'T NARROW FRAME

Part # 110805 Weight: 26.0 lbs.



2'W x 3'T NARROW FRAME

Part # 110803 Weight: 20.0 lbs.



6'W x 6"T SIDEWALK CANOPY FRAME \*CANOPY FRAME (1.69" Leg)

**Part #** 110780 **Weight :** 65.0 lbs.




Frame Lock


Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.69" (1-11/16")	8.5"	Drop Lock	45°



# **B/J-Style Frames (#6)**



5'W x 6' 6"T WALK-THRU FRAME Part # 110146 Weight: 47.0 lbs.




**5'W x 5'T MASON FRAME Part #** 110155 **Weight :** 40.0 lbs.



Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.625" (1-5/8")	27-3/4"	C-Lock	90°




# **W-Style Frames**




5'W x 6' 6"T WALK-THRU FRAME **HEAVY DUTY Part #** 110756

Weight: 56.0 lbs.




5'W x 6' 6"T WALK-THRU FRAME

Part # 110766 Weight: 55.5 lbs.




Part # 110736 Weight: 42.0 lbs.




5'W x 6' 7"T MASON FRAME

Part # 110456 Weight: 48.0 lbs.




5'W x 5' 1"T MASON FRAME

**Part #** 110455 Weight: 42.0 lbs.




Part # 110454 Weight: 35.0 lbs.



5'W x 3' 1"T MASON FRAME

**Part #** 110453 Weight: 32.0 lbs.




**Part #** 110452 Weight: 25.5 lbs.



Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.625" (1-5/8")	7"	Fast Lock	90°




# **W-Style Frames**




3'W x 6' 7"T NARROW FRAME

Part # 110836 Weight : 42.0 lbs.




3'W x 5' 1"T WALK-THRU FRAME

Part # 110835 Weight: 32.0 lbs.



27-5/8"W x 6' 7"T LADDER FRAME

Part # 110956 Weight: 37.0 lbs.



27-5/8"W x 5' 1"T LADDER FRAME


Part # 110955 Weight: 29.0 lbs.



Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.625" (1-5/8"	7"	Fast Lock	90°




### **V-Style Frames**




5'W x 6' 4"T WALK-THRU FRAME

Part # 110656 Weight: 46.0 lbs.




42'W x 6' 4"T WALK-THRU FRAME

Part # 110646 Weight : 43.0 lbs.




3'W x 6' 4"T WALK-THRU FRAME

Part # 110536 Weight: 42.0 lbs.




5'W x 6' 4"T MASON FRAME

Part # 110356 Weight: 46.0 lbs.




5'W x 5'T MASON FRAME

Part # 110355 Weight: 39.0 lbs.




5'W x 4'T MASON FRAME

Part # 110354 Weight: 36.0 lbs.



5'W x 3'T MASON FRAME

**Part #** 110353 **Weight :** 26.0 lbs.



5'W x 2'T MASON FRAME

**Part** # 110352 **Weight** : 22.0 lbs.




Frame Lock

Mid	-	LO	Cl
-----	---	----	----


Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.69" (1-11/16")	6"	Slide Lock	45°

# **V-Style Frames**




5'W x 6' 4"T WALK-THRU FRAME \*HEAVY DUTY (1.9" Leg)

**Part #** 110658 **Weight :** 54.0 lbs.




5'W x 6' 4"T WALK-THRU FRAME \*SHORING WALK-THRU (2-3/8" Leg)

Part # 310096 Weight: 72.0 lbs.



6'W x 7' 6"T SIDE WALK CANOPY FRAME \*CANOPY FRAME (1.69" Leg)

Part # 110767 Weight: 65.0 lbs.



2'W x 6' 4"T NARROW FRAME

Part # 110826 Weight: 35.0 lbs.



Frame Lock

Mid-Lock

Frame Leg	Top Lock	Lock Style	Coupling Pin Hole
1.69" (1-11/16")	6"	Slide Lock	45°

### **Coupling Pins & Frame Locks**



9" COUPLING PIN W/1" COLLAR (#7)

**Part #** 130001 OD : 1-7/16"

Fit S-Style & V-Style Frames

Weight: 1.2 lbs.



9" COUPLING PIN W/1" COLLAR (#6)

**Part #** 130005

OD: 1-3/8"

Fit W-Style & #6 B/J-Style Frames

Weight: 1.2 lbs.



9" COUPLING PIN W/1" COLLAR (#5)

**Part** # 130010

OD: 1-1/4"

Fit #5 B/J-Style Fames **Weight**: 1.0 lbs.

Wolgin i Hz io



#### 7" COUPLING PIN 1/8" COLLAR (#6)

**Part #** 130006 OD: 1-3/8"

\*Fits W-Style & #6 B/J-Style Frames

Weight: 1.0 lbs.



#### 7" COUPLING PIN 1/8" COLLAR (#6)

**Part #** 130002 OD : 1-3/8"

\*Fits W-Style & #6 B/J-Style Frames

Weight: 0.8 lbs.



#### SHORING CONNECTOR PIN

Part # 330001 Weight : 0.95 lbs.



### **CONVERSION PIN**

Shoring Leg (2.375") to Scaffold Leg (1.69")

Part # 130011 Weight : 2.5 lbs.



#### **CONVERSION PIN**

Heavy Duty Frame (1.9") to Frame (1.69")

Part # 130013 Weight: 1.75 lbs.

### Pins & Clips



SPRING RETAINER CLIP Part # 130003 Weight: 0.03 lbs.



TOGGLE PIN
Part # 130004
Weight: 0.15 lbs.



PIG TAIL PIN
Part # 130007
Weight: 0.20 lbs.



**SPAN PIN Part** # 130009 **Weight**: 0.20 lbs.



RIVET & COTTER PIN Part # 130020 Weight: 0.20 lbs.



ROLL PIN
Part # 130014
Weight: 0.10 lbs.



DROP LOCK (REPLACEMENT)
Part # 130042
Weight: 0.15 lbs.



FLIP LOCK (REPLACEMENT)
Part # 130040
Weight: 0.15 lbs.



FAST LOCK (REPLACEMENT) Part # 130041 Weight: 0.65 lbs.

### **Screw Jacks & Base Plates**



### 24" SCREW JACK W/BASE PLATE

\*Fits 1.625" & 1.69"Ø Frames

Part # 160001 OD: 1-3/8" Weight: 11.5 lbs.



### SWIVEL SCREW JACK

\*Fits 1.625" & 1.69"Ø Frames

Part # 160010 OD : 1-3/8" Weight : 14.0 lbs.



### 24" SCREW JACK W/BASE PLATE

\*Fits 1.5" Ø Frames
Part # 160004
OD: 1-1/4"
Weight: 11.5 lbs.



#### SOCKET JACK

\*Fits 1.625" & 1.69"Ø Frames

Part # 160002 OD: 1-3/8" Weight: 11.5 lbs.



### **SWIVEL SCREW JACK**

\*Fits 1.5" Ø Frames

Part # 160017

OD: 1-1/4"

Weight: 13.5 lbs.



### 24" EXTENSION LEG BASE PLATE

\*Fits 1.625" & 1.69"Ø Frames

Part # 160014 OD: 1-3/8" Weight: 4.75 lbs.



### 5" X 5" BASE PLATE

\*Fits 1.625" & 1.69"Ø Frames

Part # 160008 OD: 1-3/8" Weight: 3.0 lbs.



### 5" X 5" BASE PLATE

\*Fits 1.5" Ø Frames
Part # 160018
OD: 1-1/4"
Weight: 3.0 lbs.



### **5" X 5" SWIVEL BASE PLATE**

\*Fits 1.625" & 1.69"Ø Frames

Part # 160009 OD: 1-3/8" Weight: 3.5 lbs.

### **U-Heada, Hoists & Wall Tie**



8" X 8" U-HEAD W/SCREW JACK

\*Fits 1.625" & 1.69" & 1.9" Ø Frames

Part # 160015 Weight: 17.0 lbs.



4" X 8" U-HEAD W/SCREW JACK

\*Fits 1.625" & 1.69" & 1.9" Ø Frames

Part # 160012 Weight: 15.0 lbs.



4" X 8" SCAFFOLD U-HEAD

\*Fits 1.69" Ø Frames Part # 160013 Weight: 5.25 lbs.



### SWIVEL HEAD HOIST ARM WITH GR POST (BLUE)

\*Fits 1.69" Ø Frames
Part # 090000
Weight: 38.0 lbs.

### SWIVEL HEAD HOIST ARM W/O GR POST (BLUE)

\*Fits 1.69" Ø Frames
Part # 090001
Weight: 23.0 lbs.

### SWIVEL HEAD HOIST ARM W/O GR POST (RED)

\*Fits 1.625" Ø Frames **Part #** 090004 **Weight :** 23.0 lbs.

#### SWIVEL HEAD HOIST ARM WITH GR POST (RED)

\*Fits 1.625" Ø Frames **Part** # 090005 **Weight** : 38.0 lbs.



### 12" WELL WHEEL/PULLEY

Part # 090003 Weight : 9.0 lbs.




UNIVERSAL 4' WALL TIE/TIE-IN PIPE

Part # 020104 Weight: 7.0 lbs.




### **Cross Braces - Tubular**



PART NUMBER	DESCRIPTION	A (Frame Spacing)	<b>B</b> (Lock Spacing)	WT.
120044	4' x 4' Tube Cross Brace	4'	4′	9.5
120054	5' x 4' Tube Cross Brace	5′	4′	10.0
120064	6' x 4' Tube Cross Brace	6'	4′	11.0
120071	7' x 1' Tube Cross Brace	7'	1′	11.0
120072	7' x 2' Tube Cross Brace	7'	2′	11.25
120073	7' x 3' Tube Cross Brace	7′	3′	11.3
120074	7' x 4' Tube Cross Brace	7'	4′	11.5
120075	7' x 3'/4' Tube Cross Brace	7'	3'or 4'	11.5
120076	7' x 27.75' Tube Cross Brace	7′	27.75′	11.3
120081	8' x 1' Tube Cross Brace	8′	1′	12.0
150082	8' x 2' Tube Cross Brace	8'	2′	12.5
120083	8' x 3' Tube Cross Brace	8'	3′	13.0
120084	8' x 4' Tube Cross Brace	8′	4′	13.5
120101	10' x 1' Tube Cross Brace	10′	1′	14.5
120102	10' x 2' Tube Cross Brace	10′	2′	14.75
120103	10' x 3' Tube Cross Brace	10′	3′	15.25
120104	10' x 4' Tube Cross Brace	10′	4′	15.75
120080	10' x 27.75' Tube Cross Brace	10′	27.75′	15.25



# **Cross Braces - Angle Iron**



PART NUMBER	DESCRIPTION	A (Frame Spacing)	B (Lock Spacing)	WT.
320105	5' x 1' Angle Iron Cross Brace	5′	1′	9.5
320107	7' x 1' Angle Iron Cross Brace	7′	1′	12.5
320108	8' x 1' Angle Iron Cross Brace	8′	1′	14.25
320110	10' x 1' Angle Iron Cross Brace	10′	1′	17.5
320204	4' x 2' Angle Iron Cross Brace	4′	2′	9.5
320205	5' x 2' Angle Iron Cross Brace	5′	2′	11.0
320206	6' x 2' Angle Iron Cross Brace	6′	2′	12.75
320207	7' x 2' Angle Iron Cross Brace	7′	2′	14.25
320208	8' x 2' Angle Iron Cross Brace	8′	2′	15.75
320209	10' x 2' Angle Iron Cross Brace	10′	2′	19.0
320211	10' x 4' Angle Iron Cross Brace	10′	4′	22.0
323044	4' x 3'/4' Angle Iron Cross Brace	4′	3' or 4'	11.0
323045	5' x 3'/4' Angle Iron Cross Brace	5′	3' or 4'	13.0
323046	6' x 3'/4' Angle Iron Cross Brace	6'	3' or 4'	15.0
323047	7' x 3'/4' Angle Iron Cross Brace	7′	3' or 4'	17.0
323048	8' x 3'/4' Angle Iron Cross Brace	8′	3' or 4'	18.5
323410	10' x 3'/4' Angle Iron Cross Brace	10′	3' or 4'	22.0



### **Guard Rail Posts & Tubular Guard Rails**



### 1.69" FEMALE GUARD RAIL POST

\*4 - Fast Lock
Part # 140092
Weight: 7.5 lbs.



#### 1.69" FEMALE GUARD RAIL POST

\*4 - Fast Lock
Part # 140093
Weight: 7.5 lbs.



#### 1.69" MALE GUARD RAIL POST

\*4 - Flip Lock
Part # 140091
Weight: 7.0 lbs.



#### 1.69" FEMALE GUARD RAIL POST

\*4 - Drop Lock
Part # 140080
Weight: 7.5 lbs.




### 7" INTERNAL GUARD RAIL LEDGER

**Part** # 070073 **Weight** : 15.0 lbs.




PART NUMBER	DESCRIPTION	LENGTH (Hole to Hole)	WEIGHT
140002	2' Guard Rail	2′	2.0
140003	3' Guard Rail	3′	2.6
140004	42" Guard Rail	42"	3.6
140005	5' Guard Rail	5′	4.5
140006	6' Guard Rail	6'	5.6
140007	7' Guard Rail	7′	6.6
140008	8' Guard Rail	8′	7.6
140010	10' Guard Rail	10′	15.4

### **Guard Rail Panels & Access Gates**




5' W MASON FRAME ACCESS PANEL

Part # 140106 Weight: 27.0 lbs.



3' EXPANDABLE ACCESS GATE

Part # 250099 Weight: 23.0 lbs.



3' EXPANDABLE ACCESS GATE

Part # 250035 Weight: 32.0 lbs.



7'L GUARD RAIL PANEL

**Part #** 140107 **Weight :** 18.5 lbs.



### 8'L GUARD RAIL PANEL

Part # 140108 Weight: 20.0 lbs.



### 10'L GUARD RAIL PANEL

Part # 140110 Weight : 22.0 lbs.




**3'W END PANEL Part #** 140103

Weight: 18.5 lbs.



# **42'W END PANEL Part #** 140104

**Weight:** 10.0 lbs.



# **Rolling Tower Accessories**




### 8" HEAVY DUTY CASTER - 1-3/8" STEM

\*Fits 1.625"/1.69" Ø Frames & 1.9" Ø System Double Locking Part # 050008 Weight: 12.5 lbs.



### 8" HEAVY DUTY CASTER - 1-1/4" STEM

\*Fits 1.5" Ø Frame Legs Double Locking Part # 050009 Weight: 12.5 lbs.



### 5' x 7' HORIZONTAL GOOSER


Part # 140100 Weight: 13.0 lbs.

### 5' x 8' HORIZONTAL GOOSER

Part # 140101 Weight: 14.0 lbs.

#### 5' x 10' HORIZONTAL GOOSER

**Part #** 140102 **Weight :** 15.5 lbs.



### 30" OUTRIGGER FOR FRAME SCAFFOLD

Part # 080170 Weight: 20.0 lbs.



### Side Brackets & End Brackets



12" SIDE BRACKET (1-BOARD) KSB STYLE

Part # 150012 Weight : 5.5 lbs.

21" SIDE BRACKET (2-BOARD) KSB STYLE

**Part** # 150020 **Weight** : 7.0 lbs.

30" SIDE BRACKET (3-BOARD) KSB STYLE

**Part** # 150029 **Weight** : 11.0 lbs.



12" SIDE BRACKET (1-BOARD) KVB STYLE

Part # 150012 Weight : 6.0 lbs.

21" SIDE BRACKET (2-BOARD) KVB STYLE

**Part** # 150021 **Weight** : 9.0 lbs.


30" SIDE BRACKET (3-BOARD) KVB STYLE

Part # 150030 Weight : 20.0 lbs.



21" SADDLE HANGER SIDE BRACKET (2-BOARD)

**Part** # 150031 **Weight** : 11.0 lbs.



23" ANGLE IRON SIDE BRACKET (2-BOARD)

Part # 150221 Weight: 12.5 lbs.




21" END BRACKET (2-BOARD)

Part # 150321 Weight: 12.0 lbs.

30" END BRACKET (3-BOARD)

**Part** # 150330 **Weight** : 15.50 lbs.




21" SIDE BRACKET (2-BOARD) KVB STYLE WITH KSB SHOE

Part # 150022 Weight : 9.0 lbs.

30" SIDE BRACKET (3-BOARD) KVB STYLE WITH KSB SHOE

Part # 150031 Weight: 20.0 lbs.



**EXPANDABLE P-PANEL** 


\* Fits 2-Board & 3-Board Side Brackets

Part # 150601 Weight: 12.0 lbs.

### **Access Ladders**



LADDER BRACKET - BOLT ON Part # 170109 Weight : 5.5 lbs.



3' ACCESS LADDER Part # 170003 Weight: 12.0 lbs.



6' ACCESS LADDER Part # 170006 Weight: 19.0 lbs.



LADDER BRACKET - SLIDE ON Part # 170110 Weight : 6.5 lbs.



3' SAU LADDER \* Galvanized Part # 170132 Weight: 9.5 lbs.



6' SAU LADDER \* Galvanized Part # 170133 Weight: 18.0 lbs.



\* Galvanized

\* Galvanized

Part # 170139

Weight: 5.5 lbs.



### **Internal Stair Units**



### 7' INTERNAL STAIR UNIT W/HANDRAILS

\*Fits 6'4" Frames (w/7' Cross Braces)

Part # 070007 Weight: 110.0 lbs.

(Inside H/R : 070071 - Outside H/R : 070072)



### 8' INTERNAL STAIR UNIT W/HANDRAILS

\*Fits 6'4" T Frames (w/8' Cross Braces)

Part # 070080

Weight: 130.0 lbs.

(Inside H/R: 070081 - Outside H/R: 070082)



### 7' INTERNAL STAIR UNIT W/HANDRAILS

\*Fits 5'T Frames (w/7' Cross Braces)

Part # 070105

Weight: 100.0 lbs.

(Inside H/R : 070106 - Outside H/R : 070107)



7' INTERNAL STAIR UNIT W/HANDRAILS

\*Fits 6'7" T Frames (w/7' Cross Braces)

Part # 070087 Weight: 112.0 lbs.

(Inside H/R: 070088 - Outside H/R: 070089)

5'W STARTER BAR Part # 070074 Weight: 9.0 lbs.



# **Putlog/Trusses & Debris Chutes**

8' PUTLOG

**Part #** 100008 **Weight :** 27.0 lbs.

12' PUTLOG Part # 100012 Weight : 39.0 lbs.

16' PUTLOG Part # 100016 Weight : 61.0 lbs.



**22' PUTLOG TRUSS Part #** 100022 **Weight :** 84.0 lbs.



PARALLEL PUTLOG HANGER Part # 100001 Weight: 5.0 lbs.



RIGHT ANGLE PUTLOG HANGER Part # 100000 Weight : 6.25 lbs.



**SADDLE PIN (1.69") Part #** 100006 **Weight :** 2.0 lbs.



5'W PUTLOG SPREADER Part # 100005 Weight: 25.75 lbs.



OFFSET PIN (1.69")
Part # 100007
Weight: 6.0 lbs.

### **Scaffold Accessories**



DRYWALL CART (3,000# CAPACITY)
Part # 090006
Weight: 85.0 lbs.



8'6" x 150' DEBRIS NETTING (FIRE RETARNDANT) \*AVAILABLE IN OTHER SIZES & COLOURS Part # 090002 Weight: 52.0 lbs.




#9 BLACK ANNEALED WIRE (100# ROLL \*Can be cut into 25# increments/roll Part # 260010 Weight: 100.0 lbs.



SYSTEM STORAGE RACK Part # 260001 Weight: 125.0 lbs.



COLLAPSIBLE STORAGE BASKET Part # 260002 Weight: 75.0 lbs.



VENEER JACK
Part # 160006
\*Frame & Legs sold separately
Weight: 38.5 lbs.



MORTAR STAND (20" X 30")
Part # 090007
Weight: 15.0 lbs.




### **Multi-Function Scaffold - Steel**



MULTI-FUNCTION UNIT - STEEL 29"W x 6'L x 6'T Part # 080066 Weight: 165.0 lbs.




STEEL GUARD RAIL FOR STEEL MFU Part # 080166 Weight: 85.0 lbs.



18" OUTRIGGER FOR STEEL MFU
\*RIGID
Part # 080065
Weight: 6.0 lbs.



5" LOCKING CASTER - SQUARE STEM Part # 050005 Weight: 5.0 lbs.



30" OUTRIGGER FOR STEEL MFU
\*SWIVEL
Part # 080062
Weight: 20.0 lbs.



### **Multi-Function Scaffold - Aluminum**



MULTI-FUNCTION UNIT - ALUMINIUM 29"W x 6'L x 6'T Part # 080206 Weight: 100.0 lbs.



ALUMINIUM GUARD RAIL ASSEMBLY
Part # 050216
Weight: 30.0 lbs.



18" OUTRIGGER FOR ALUM MFU
\*RIGID
Part # 080226
Weight: 3.0 lbs.



5" LOCKING CASTER - SQUARE STEM Part # 050005 Weight: 5.0 lbs.



30" OUTRIGGER FOR ALUM MFU
\*SWIVEL
Part # 080227
Weight: 11.0 lbs.



### **OSHA Scaffold Tags**



OSHA SCAFFOLD TAG - GREEN
\*Add your Company Name
Part # 030602
Weight: 0.02 lbs.



OSHA SCAFFOLD TAG - YELLOW \*Add your Company Name Part # 030603 Weight: 0.02 lbs.



OSHA SCAFFOLD TAG - RED \*Add your Company Name Part # 030604 Weight: 0.02 lbs.



OSHA SCAFFOLD TAG HOLDER
\*Add your Company Name
Part # 030601
Weight: 0.10 lbs.

# **Tube w/End Fitting**



### **TUBE W/END FITTINGS**

PART NUMBER	DESCRIPTION	WEIGHT
020004	4' Tube w/End Fittings	12.0
020006	6' Tube w/End Fittings	17.25
020008	8' Tube w/End Fittings	21.0
020010	10' Tube w/End Fittings	25.0
020013	13' Tube w/End Fittings	32.5
020016	16' Tube w/End Fittings	41
020020	20' Tube w/Open Ends	48.0



BASE PLATE
\* For Tube w/End Fitting
Part # 020030
Weight: 3.5 lbs.

### Clamps



2" X 2" RIGHT ANGLE CLAMP (I-BOLT)
\*Dual Purpose
Part # 010001
Weight: 3.5 lbs.



2" X 2" SWIVEL CLAMP (I-BOLT)
\*Dual Purpose
Part # 010005
Weight: 3.75 lbs.



2.5" X 2" RIGHT ANGLE CLAMP (I-BOLT)
Part # 010002
Weight: 5.5 lbs.



**2.5" X 2" SWIVEL CLAMP (I-BOLT) Part #** 010004 **Weight :** 5.25 lbs.



**3.5" X 2" RIGHT ANGLE CLAMP Part #** 010003 **Weight :** 5.75 lbs.



**3.5" X 2" SWIVEL CLAMP Part** # 010006 **Weight :** 5.75 lbs.

### **Clamps & Aluminium Beams Stringers**



2" RIGID PIPE TO BEAM CLAMP (I-BOLT)
Part # 010007
Weight: 3.25 lbs.



2" SWIVEL PIPE TO BEAM CLAMP (I-BOLT)
Part # 010008
Weight: 3.75 lbs.



2" HALF CLAMP
\*Dual Purpose
Part # 010010
Weight: 22.0 lbs.



2" STUD CLAMP W/NUT (I-BOLT)
Part # 010009
Weight: 2.25 lbs.

2.5" STUD CLAMP W/NUT (I-BOLT)

**Part** # 010134 **Weight** : 3.6 lbs.

3.5" STUD CLAMP W/NUT (I-BOLT)

**Part** # 010135 **Weight** : 5.0 lbs.



A-CLAMP ASSEMBLY #2
\*Aluminium
Part # 060001
Weight: 0.35 lbs.



ALUMINIUM BEAMS & ALUMINIUM STRINGERS \*Custom sizes available (4' - 28') CALL FOR DETAILS!



### **OSHA Scaffold Planks**



- Clipped Corners
- Steel Rod through Each End
- Ends Painted & Sealed

CALL TO HAVE "YOUR NAME" EMBOSSED ON SIDE OF PLANS

### **DI-65 OSHA SCAFFOLD PLANKS**

PART NUMBER	DESCRIPTION	WEIGHT
030044	2" x 10" x 4' DI-65 OSHA Scaffold Plank	16.0
030046	2" x 10" x 6' DI-65 OSHA Scaffold Plank	24.0
030048	2" x 10" x 8' DI-65 OSHA Scaffold Plank	32.0
030050	2" x 10" x 10' DI-65 OSHA Scaffold Plank	40.0
030052	2" x 10" x 12' DI-65 OSHA Scaffold Plank	48.0
030056	2" x 10" x 16' DI-65 OSHA Scaffold Plank	64.0



- Multiple Structural Members
- Steel Locking Pins
- ❖ Ends Painted & Sealed

CALL TO HAVE "YOUR NAME" EMBOSSED ON SIDE OF PLANS

### PIN-LOK OSHA SCAFFOLD PLANKS

PART NUMBER	DESCRIPTION	WEIGHT
030006	2" x 10" x 6' PIN-LOK OSHA Scaffold Plank	24.0
030008	2" x 10" x 8' PIN-LOK OSHA Scaffold Plank	32.0
030009	2" x 10" x 9' PIN-LOK OSHA Scaffold Plank	36.0
030010	2" x 10" x 10' PIN-LOK OSHA Scaffold Plank	40.0
030012	2" x 10" x 12' PIN-LOK OSHA Scaffold Plank	48.0
030016	2" x 10" x 16' PIN-LOK OSHA Scaffold Plank	64.0



# **OSHA Scaffold Planks & Stage Boards**



- Proof Tested
- Custom Sizes Avaialble
- Ends And Sides Painted & Sealed

CALL TO HAVE "YOUR NAME" EMBOSSED ON SIDE OF PLANS

### LAMINATED (LVL) OSHA SCAFFOLD PLANKS

PART NUMBER	DESCRIPTION	WEIGHT
030060	2" x 10" x 8' LVL OSHA Scaffold Plank	32.0
030061	2" x 10" x 9' LVL OSHA Scaffold Plank	36.0
030062	2" x 10" x 10' LVL OSHA Scaffold Plank	40.0
030063	2" x 10" x 12' LVL OSHA Scaffold Plank	48.0
030064	2" x 10" x 13' LVL OSHA Scaffold Plank	52.0
030067	2" x 10" x 16' LVL OSHA Scaffold Plank	64.0



### **ALUMINIUM STAGES**

ALUMINIUM PICK BOARDS

\* Available from 12" - 28" Wide & 12' - 40' Long **CALL FOR DETAILS** 



### **OSHA Scaffold Decks**



### **All Aluminum Scaffold Deck**

PART NUMBER	DESCRIPTION	WEIGHT
030105	5'L x 19"W Aluminium Deck	25.0
030107	7'L x 19"W Aluminium Deck	31.0
030108	8'L x 19"W Aluminium Deck	35.0
030110	10'L x 19"W Aluminium Deck	40.0



Square Hook



Aluminum / Plywood Scaffold Deck

PART NUMBER	DESCRIPTION	WEIGHT
030207	5'L x 19"W Aluminium Deck	35.0
030208	7'L x 19"W Aluminium Deck	43.0
030210	8'L x 19"W Aluminium Deck	51.0



### **OSHA Steel Scaffold Planks**



### STEEL SCAFFOLD DECK - FLAT HOOK

PART NUMBER	DESCRIPTION	WEIGHT
030302	2' 0"L x 9"W Steel Plank	9.5
030322	2' 2"L x 9"W Steel Plank	10.0
030303	3′ 0″L x 9″W Steel Plank	12.0
030304	3′ 6″L x 9″W Steel Plank	15.0
030310	3′ 10″L x 9″W Steel Plank	18.75
030304	4' 0"L x 9"W Steel Plank	19.25
030305	5' 0"L x 9"W Steel Plank	23.5
030352	5' 2"L x 9"W Steel Plank	14.5
030306	6' 0"L x 9"W Steel Plank	27.75
030307	7' 0"L x 9"W Steel Plank	32.0
030308	8' 0"L x 9"W Steel Plank	35.25
030309	9' 0"L x 9"W Steel Plank	38.75
030311	10' 0"L x 9"W Steel Plank	44.5

# Sidewalk Bridge



PART NUMBER	DESCRIPTION	WEIGHT
410008	8' Bridge Leg	80.0 lbs
410010	10' Bridge Leg	90.0 lbs
410012	12' Bridge Leg	110.0 lbs
400014	14' Bridge Leg	125.0 lbs
410016	16' Bridge Leg	140.0 lbs
430101	Bridge Leg Bolt	0.50 lbs
430103	Bridge Leg Nut	o.25 lbs

# Sidewalk Bridge



**DIAGONAL BRACE (10' 4") Part #** 430010 **Weight :** 13.0 lbs.



PARAPET BRACE Part # 450002 Weight: 3.5 lbs.



PARAPET ANGLE Part # 450001 Weight: 1.5 lbs.



HEAD CLIP Part # 430100 Weight: 3.0 lbs.




PART NUMBER	DESCRIPTION	WEIGHT
410101	1' Griths	1.1 lbs
410102	2' Griths	2.2 lbs
410103	3' Griths	4.5 lbs
410104	4' Griths	6.75 lbs
410105	5' Griths	8.1 lbs
410106	6' Griths	9.8 lbs
410107	7' Griths	11.5 lbs
410108	8' Griths	13.0 lbs




# 4'0" A 4'0" A 6'0"

4'W X 6'T SHORING FRAME Part # 310046 Weight: 67.0 lbs.


# 10K H.L. Shoring Frames




**4'W X 5'T SHORING FRAME Part #** 310045 **Weight :** 53.0 lbs.




4'W X 4'T SHORING FRAME Part # 310044 Weight: 47.0 lbs.




**4'W X 3'T SHORING FRAME Part #** 310043 **Weight :** 35.0 lbs.




2'W X 6'T SHORING FRAME Part # 310026 Weight: 58.0 lbs.



**2'W X 5'T SHORING FRAME Part #** 310025 **Weight :** 45.0 lbs.



2'W X 4'T SHORING FRAME Part # 310024 Weight: 37.0 lbs.



2'W X 3'T SHORING FRAME Part # 310023 Weight: 25.0 lbs.



**4'W X 6'T SHORING FRAME Part #** 310046 **Weight :** 67.0 lbs.

FRAME LEG	TOP LOCK	LOCK STYLE	Weight	
2.375" (2-3/8")	7" (13" ON 6'T Frame)	Fast Lock	90°	

# 10K H.L. Shoring Accessories



**36" SHORING JACK Part #** 340001 **Weight :** 12.0 lbs.



SHORING CONNECTOR PIN Part # 330001 Weight: 1.0 lbs.



SHORING BASE PLATE \*Fit Shoring Jack Part # 350079 Weight: 7.5 lbs.



**4" x 8" SHORING U-HEAD Part #** 340048 **Weight :** 9.0 lbs.



**5" x 8" SHORING U-HEAD Part #** 340058 **Weight :** 10.5 lbs.



**8" x 8" SHORING U-HEAD Part #** 340088 **Weight :** 12.5 lbs.



**3" x 5/8" SHORING RIVET Part** # 330002 **Weight :** 0.35 lbs.



HITCH PIN FOR SHORING RIVET Part # 330003 Weight: 0.05 lbs.



# **Post Shores**



PART NUMBER	DESCRIPTION	RANGE	WEIGHT
040000	#0 Post Shore	3′ 6″ - 6′ 0″	27.0
040001	#1 Post Shore	5′ 9″ - 10′ 3″	40.0
040002	#2 Post Shore	6′ 6″ - 11′ 0″	46.0
040003	#3 Post Shore	8′ 6″ - 13′ 0″	54.0
040004	#4 Post Shore	10′ 6″ - 16′ 0″	61.0

#### \*GALVANIZED FINISH AVAILABLE ON ORDER



#### **Debris Chutes**



**CHUTES SECTION W/CHAINS** 

Useable Length: 3'1" **Part #** 510001 **Weight:** 37.0 lbs.



INTAKE HOPPER W/CHAINS

Intake Dimensions: 29"W x 28"T

Part # 510002 Weight: 63.0 lbs.



INTERMEDIATE INTAKE HOPPER

Flip included
Part # 510004
Weight: 66.0 lbs.



**BASIC SUPPORT FRAME** 

Part # 510003 Weight: 62.0 lbs.



#### WINDOW/PAPET OUTRIGGER SET

Minimum Window Opening: 38" Maximum Sill Depth: 30"

**Part** # 510005 **Weight** : 92.0 lbs.



MANUAL WINCH w/PICKING BAR (80')

Also available in 150'
Part # 510008
Weight: 166.0 lbs.



#### PICKING BAR FOR CRANE

Part # 510011 Weight: 10.0 lbs.



#### **COUNTER WEIGHT (50 LBS.)**

Concrete
Part # 510010
Weight: 50.0 lbs.

STI has many other Chute Accessories available, please call for more information



#### **TEST DATA**

# STORK<sup>®</sup> Materials Technology

#### **Stork Southwestern Laboratories**

SCAFFOLDING TODAY, INC.

11827 Eastes Freeway Houston, TX 77039

P: (281) 449-7900 / F: 281/449-7904

W/O No.:

SCA0130-03-02-26875-1

P.O. No. :

28294254 Report Date: 3/16/2007

**Identification**: 5' x 5' Mason Frames

**Description:** Three tier, with 6" screw jack extension

#### FRAME COMPRESSION TEST RESULTS Tasted in accordance with ASNI/SSFI SC105-05

Set #	Ultimate Load	Allowable Leg Load Ultimate Load at 4:1 Safety Factor
1	58,300 lbs.	14,575 lbs.
2	60,500 lbs.	15,125 lbs.
Avg.	59,400 lbs.	14,850 lbs.

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.

Respectfully Submitted

Terry Wilth

Manager, Product Evaluation

Stork SWL. is an operating unit of Stork Materials Technology B.V., Amsterdam, The Netherlands, which is a member of the Stork Group



# **TEST DATA**

# STORK<sup>®</sup> Materials Technology

#### **Stork Southwestern Laboratories**

SCAFFOLDING TODAY, INC.

11827 Eastes Freeway Houston, TX 77039

P: (281) 449-7900 / F: 281/449-7904

W/O No.:

SCA0130-03-02-26875-2

P.O. No. :

28294254 Report Date: 3/16/2007

**Identification**: 5' x 6'4"' Mason Frames

**Description:** Three tier, with 6" screw jack extension

#### FRAME COMPRESSION TEST RESULTS Tasted in accordance with ASNI/SSFI SC105-05

Set #	Ultimate Load	Allowable Leg Load Ultimate Load at 4:1 Safety Factor
1	37,400 lbs.	9,350 lbs.
2	37,400 lbs.	9,350 lbs.
Avg.	37,400 lbs.	9,350 lbs.

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.

Respectfully Submitted

Terry Wilth

Manager, Product Evaluation

Stork SWL. is an operating unit of Stork Materials Technology B.V., Amsterdam, The Netherlands, which is a member of the Stork Group



# **TEST DATA**

# STORK<sup>®</sup> Materials Technology

#### **Stork Southwestern Laboratories**

SCAFFOLDING TODAY, INC.

11827 Eastes Freeway Houston, TX 77039

P: (281) 449-7900 / F: 281/449-7904

W/O No.:

SCA0130-03-02-26875-3

P.O. No. :

28294254 Report Date: 3/16/2007

**Identification**: 5' x 6'4" Walk Through Frames

**Description:** Three tier, with 6" screw jack extension

#### FRAME COMPRESSION TEST RESULTS Tasted in accordance with ASNI/SSFI SC105-05

Set #	Ultimate Load	Allowable Leg Load Ultimate Load at 4:1 Safety Factor
1	41,100 lbs.	10,275 lbs.
2	41,800 lbs.	10,450 lbs.
Avg.	41,450 lbs.	13,360 lbs.

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.

Respectfully Submitted

Terry Wilth

Manager, Product Evaluation

Stork SWL. is an operating unit of Stork Materials Technology B.V., Amsterdam, The Netherlands, which is a member of the Stork Group



# **TEST DATA**



Contact: Steve Sanguedolce **TEST CERTIFICATE - EAR-CONTROLLED DATA** 

SCAFFOLDING TODAY, INC.

11827 Eastes Freeway Houston, TX 77039

P: (281) 449-7900 / F: 281/449-7904

Date: 3/30/2012 P.O. No.: 28294377


SCA013-03-30-97949-1 W/O No.:

#### **LOAD TEST RESULTS** 5"W x 6'4" T Walk-Thru Shoring Frames 3 Tier Test

Test Method: SSFI/ANSI SH300 - 2007 12" Screw Jack Extension, Top and Bottom

Sample ID	Yield Load (lbs)	Load (lbs) per Leg	Load (lbs) per Leg at 2.5:1 Safety Factor	Deviation Iron Average %
1	119,665	29,915	11,965	2
2	125,880	31,470	12,590	8
3	105,720	26,430	10,570	10
Avg.	117,085	29,270	11,710	_







Typical Deflection at Yield Load

Respectfully Submitted

Manager, Product Evaluation

3 Tier Shoring Frame Test

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Unless otherwise noted all test methods and specifications are to the most current revision Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.



### **TEST DATA**



Contact : Steve Sanquedolce TEST CERTIFICATE - EAR-CONTROLLED DATA

SCAFFOLDING TODAY, INC.

11827 Eastes Freeway Houston, TX 77039

P: (281) 449-7900 / F: 281/449-7904

Date: 4/20/2012

W/O No.: SCA013-04-18-98766-1

28294377

#### Description 4' x 4" Shoring Frame

P.O. No.:

#### 3 TIER SHORING FRAME COMPRESSION TESTS Test Method: ANSI/SSFI SH300 - 2007

#### Base plate and U-head screw jacks at 12" extension

Test #	Maximum Load (lbs)	Maximum Load Per Leg (lbs)	Safety Factor 2:5:1 Load (lbs) Per Leg	Deviation Iron Average %
1	117,590	29,400	11,760	1
2	119,665	29,915	11,965	1
3	117,590	29,400	11,760	1
Avg.	118,280	29,570	11,830	_

This document contains data whose export and re-export/retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval may be required of the export os re-export/retransfer of such technical data to any foreign person, foreign entitly of foreign organization whether in the United States or aborad.



**Test Step** 



Typical Deflection at Max Load

Respectfully Submitted

Terry Wilth

Manager, Product Evaluation

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Unless otherwise noted all test methods and specifications are to the most current revision Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.



# **TEST DATA**



Contact: Steve Sanquedolce TEST CERTIFICATE - EAR-CONTROLLED DATA

SCAFFOLDING TODAY, INC.

11827 Eastes Freeway Date: 9/19/2012 Houston, TX 77039 P.O. No.: 28294404

P: (281) 449-7900 / F: 281/449-7904 W/O No.: SCA013-03-18-05735-1

#### Description 1 7/8" OD x 1/16" Wall, Tube - LOck Pipe Sections

#### **TENSILE TEST RESULTS**

Specifications : Per Client Original Length (In.) : 2.0

Test Methods : ASTM A370 Direction : Longitudinal / Ful Section

Specimen Identification	Dimensions, OD x Wall Thk. (In.)	Area (sq.in.)	Yield Strength 0.2% Offset (psi)	Total Load (lbs)	Ultimate Tensile Strength (psi)	TE (manual) %
Requirements	_		_	_		_
1-1	1.895 x 0.103	0.58	45,000	31,222	54,00	34.5
1-2	1.898 x 0.101	0.57	46,000	31,000	54,500	40.5

The sample tested is for information only

This document contains data whose export and re-export/retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval may be required of the export os re-export/retransfer of such technical data to any foreign person, foreign entitly of foreign organization whether in the United States or aborad.

Respectfully Submitted

Terry Wilth

Manager, Product Evaluation

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Unless otherwise noted all test methods and specifications are to the most current revision Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.








# For a copy of our **SYSTEM SCAFFOLD CATALOG**, please contact your sales representative, one of our branches or visit **scaffoldingtoday.com**

**CUP-LOCK** 




**RING-LOCK** 











#### **HOUSTON:**

Scaffolding Today Inc.
11827 Eastex Fwy., Houston, TX 77039
Tel: 281 449 7900 Fax: 281 449 7904
E-mail: sales.houston@scaffoldingtoday.com

#### **NEW YORK:**

Scaffolding Today Inc.
1420 Tonnelle Ave., North Bergen, NJ 07047
Tel: 201 330 1188 Fax: 201 330 0728
E-mail: sales.newyork@scaffoldingtoday.com

#### **PHILLADELPHIA:**

Scaffolding Today Inc.
4130 H Street, Philladelphia, PA 19124
Tel: 215 535 3511 Fax: 215 535 3515
E-mail: sales.philadelphia@scaffoldingtoday.com